

	L #	Hits	Search Text	DBs
1	L1	550	frank\$3 and postage	US-PGPUB; DERWENT; IBM TDB
2	L2	122	1 and verif\$8	US-PGPUB; DERWENT; IBM TDB
3	L3	76	2 and (payment of pay\$3 or paid)	US-PGPUB; DERWENT; IBM TDB
read 4	L4	26	3 and @ad<"20011011"	US-PGPUB; DERWENT; IBM TDB
5	L5	915	postage and verif\$8	US-PGPUB; DERWENT; IBM TDB
6	L6	628	5 and (payment of pay\$3 or paid)	US-PGPUB; DERWENT; IBM TDB
7	L7	227	6 and @ad<"20011011"	US-PGPUB; DERWENT; IBM TDB
8	L8	58	7 and ((track\$3 or trac\$3) near5 (code or number))	US-PGPUB; DERWENT; IBM TDB
9	L9	65	7 and ((track\$3 or trac\$3) near5 (code or number or ID or identif\$7))	US-PGPUB; DERWENT; IBM TDB
10	L10	61	9 and address	US-PGPUB; DERWENT; IBM TDB
read 11	L11	57	10 not 4	US-PGPUB; DERWENT; IBM TDB
12	L12	114	postage and (paid or pay\$5)	EPO; JPO
read 13	L13	12	12 and (verif\$8 or authent\$7)	EPO; JPO
14	L14	1	12 and ocr	EPO; JPO
15	L15	4	12 and sort\$3	EPO; JPO

	L #	Hits	Search Text	DBs
1	L1	301	precode	USPAT
2	L2	11	seed and 1	USPAT
3	L3	1351	seed and encrypt\$3	USPAT
4	L4	47405	result with cod\$3	USPAT
5	L5	29051	result' near5 cod\$3	USPAT
6	L6	149	3 and 5	USPAT
7	L7	135	6 and @ad<"20011011"	USPAT
8	L8	4307	postage	USPAT
9	L9	62533	7 an d8	USPAT
read 10	L10	53	7 and 8	USPAT
11	L11	1385	seed and encrypt\$3	US-PGPUB; EPO; JPO
12	L12	22994	result near5 cod\$3	US-PGPUB; EPO; JPO
13	L13	166	11 and 12	US-PGPUB; EPO; JPO
14	L14	54	13 and @ad<"20011011"	US-PGPUB; EPO; JPO
read 15	L15	19	14 and (postage or frank\$3)	US-PGPUB; EPO; JPO

	L #	Hits	Search Text	DBs
1	L1	707	frank\$3 and postage	USPAT
2	L2	171	1 and telephone	USPAT
3	L3	46	1 and phone	USPAT
4	L4	183	2 or 3	USPAT
read 5	L5	1	4 and sms	USPAT
6	L6	7	4 and (short near2 message)	USPAT
7	L7	106	scanner and 1	USPAT
8	L8	0	7 and videocod\$4	USPAT
read 9	L9	3	7 and (video near3 cod\$4)	USPAT
10	L10	919	scanner and (videocod\$3 or (video near3 cod\$3))	USPAT
11	L11	15	10 and postage	USPAT
read 12	L12	12	11 and @ad<"20011011"	USPAT

	L #	Hits	Search Text	DBs	
	1	L1	94172	multiple near6 (use or used or usage)	USPAT
	2	L2	293	1 with flag\$4	USPAT
read	3	L3	3	(delet\$4 or remov\$3) same 2	USPAT
	4	L4	281	2 and @ad<"20011011"	USPAT
	5	L5	232	(delet\$4 or remov\$3) and 4	USPAT
	6	L6	1114	(delet\$4 or remov\$3) with 1	USPAT
	7	L7	232	5 and 4	USPAT
read	8	L8	4	6 and 4	USPAT
	9	L9	53728	multiple near6 (use or used or usage)	US-PGPUB; EPO; JPO
	10	L10	77	9 with flag\$4	US-PGPUB; EPO; JPO
read	11	L11	38	10 and @ad<"20011011"	US-PGPUB; EPO; JPO